

**Australia  
Moffat Pty Limited**

**Victoria / Tasmania**

740 Springvale Road  
Mulgrave VIC 3170

PO Box 4490, Mulgrave VIC 3170

Phone 03 9518 3888

Fax 03 9518 3833

Email [vsales@moffat.com.au](mailto:vsales@moffat.com.au)

**New South Wales**

Phone 02 8833 4111

Email [nswsales@moffat.com.au](mailto:nswsales@moffat.com.au)

**South Australia**

Phone 03 9518 3888

Email [vsales@moffat.com.au](mailto:vsales@moffat.com.au)

**Queensland**

Phone 07 3630 8600

Email [qldsales@moffat.com.au](mailto:qldsales@moffat.com.au)

**Western Australia**

Phone 08 9202 6820

Email [bgarcia@moffat.com.au](mailto:bgarcia@moffat.com.au)

**New Zealand  
Moffat Limited**

**Rolleston**

45 Illinois Drive, Izone Business Hub  
Rolleston 7675

Phone +64 3 983 6600

Fax +64 3 983 6660

Email [sales@moffat.co.nz](mailto:sales@moffat.co.nz)

**Auckland**

Phone +64 9 574 3150

Email [sales@moffat.co.nz](mailto:sales@moffat.co.nz)



[www.moffat.com.au](http://www.moffat.com.au)

[www.moffat.co.nz](http://www.moffat.co.nz)

©Copyright Moffat Pty Limited  
Moffat 06.15



**Rondo**  
Dough-how & more.



Electronic dough sheeters

Rondostar and Compas HD



## What can you depend on? On a skilled partner.

In your bakery, many blocks of dough are manufactured and sheeted to form dough bands every day. High quality and consistency are demanded. This is where you lay the foundation stone for the quality and success of your pastries.

Dough sheeting and shaping are the passion of RONDO. More than 60 years of experience and specialised skill can be found in each of our electronic dough sheeters. They are robust and built for heavy duty operation. You use them to process your dough gently and reliably, thus making a decisive contribution to the high quality of your blocks and dough bands. Dough-how & more.

### Rondostar – the versatile machine

Extraordinary flexibility is the secret of the Rondostar. It is available in two versions, on a full base or with a rigid substructure.

### Compas HD – the high-performance machine

The Compas HD convinces with its heavy duty design, uncomplicated operation and its amazing speed.

You can depend on the electronic dough sheeters Rondostar and Compas HD in every way:

- Processing of all types of dough
- High economic efficiency
- Sturdy design
- Simple operation
- Modern control system
- Fast cleaning



powerful  
efficient  
user friendly  
fast



# What tackles every challenge? The versatile Rondostar.

The electronic Rondostar enables you to produce dough bands and blocks easily and gently. But that's not all. It also provides you with the possibility to produce extremely thin dough bands and to process

difficult dough types, for example, shortcrust pastry. Alongside its versatility, it features a modern control system, heavy duty build and hygienic design.



**Rondostar 4000**  
Base model SFS6607H with  
options: flour catch pans and  
cover for flour duster



**Rondostar 4000**  
Model with rigid substructure  
SFI6607H, option: cover for  
flour duster

## All types and thicknesses of dough

With the Rondostar, you process all types of dough gently to form consistent dough bands. Strong scrapers prevent the dough from sticking to the rollers.

## Great versatility and flexibility

With special programs as well as the variable sheeting speed (both optional), you can even sheet delicate types of dough perfectly. This enables you to create extremely thin dough bands. Shortcrust pastry is produced in a particularly gentle process.



## Reliable and clean work

The Rondostar works reliably and perfectly: from sheeting to reeling.

- Automatic, optimally metered flour dusting
- Reliable reversing
- Gentle reeling



## Precise flour dusting

Your dough band is automatically, consistently and precisely dusted with flour with the series-standard flour duster. Flour consumption is reduced to a minimum, as you set the optimum dusting width.



## Low-dust work

A plastic apron prevents flour from escaping, thus greatly reducing the surplus flour dust in your bakery.



## Reliable reversing

Clean photoelectric cells are a requirement for the reliable reversing of electronic dough sheeters. RONDO photoelectric cells are cleaned automatically with every pass.



## Gentle reeling

Your dough band is automatically reeled without any appreciable tension.









# What does heavy work the fastest? The heavy duty, highly productive Compas HD.

There is a very good reason why the name of the Compas is followed by the abbreviation HD for «heavy duty». The machine features particularly high performance and is built for continuous use. Its record-breaking operating speed will also impress you. It is also extremely robust, very easy to operate and processes all types of dough gently and reliably into consistent dough bands and blocks.



Compas 3000 HD

powerful  
sturdy  
user friendly  
fast

## Sturdy design

The Compas HD is robustly built for heavy-duty work.

- Rigid substructure with table supports
- Stainless steel
- Moveable

## Perfect sheeting of all types of dough

The Compas HD even processes special delicate types of dough extremely gently. This enables you to produce high-quality dough bands which, if required, can also be extremely thin.

- Variable sheeting speed
- Programmable reeling speed
- Automatic width monitoring system
- Constant pressure due to special scraper system
- Consistent and lowest possible amount of dusting flour



## Automatic width monitoring system

You want to exploit the full width of your make-up line and reduce the waste at the edges to a minimum. To achieve this, the dough bands all have to be sheeted to a consistent width. The Compas HD automatically measures the block of dough and indicates when the desired width has been reached. This provides you with dough bands that are always of a consistent width – irrespective of the size and weight of the dough block.



## Optimised flour dusting

The Compas HD requires only a minimum quantity of flour. The automatic flour duster sprinkles a consistent amount and only to the set width.



## Variable reeling speed

Each type of dough is reeled extremely gently, with low tension and automatically. You can set the optimum reeling speed for the dough properties in each case.



## Direct feeding

Doughs that cannot be reeled, for example donut or scone dough, can be transferred directly to a make-up line.

# What can you no longer do without? Knowing you have the best in dough sheeting.




**User friendliness**  
Your employees operate the Compas HD effortlessly and intuitively. Your dough is always processed in the same way. There are no quality fluctuations and mistakes are practically ruled out. All the settings are saved in programs. This saves you time and money.

- Colour touchscreen with large symbols
- Modern menu guidance
- Simple daily corrections
- Program backup on USB stick
- Programmable flour duster



**Hygienic design**  
Cleaning the Compas HD takes very little of your time.

- Smooth surfaces made of stainless steel
- Fold-up tables
- Self-cleaning reversing sensor
- Easy-to-clean scrapers
- Quick-release belt
- Minimum surplus flour dust due to plastic apron



**Simple operation**  
The program lists and easily comprehensible symbols make it child's play for your employees to operate the Compas HD.



**Visualised work steps**  
The Compas HD visualises all work steps. It shows whether the dough is reeled at the end or folded into a dough block with a single or double fold.



**Saving programs**  
Your settings will never be lost again: you simply save a backup of your programs onto a USB stick.



**Time-saving cleaning**  
The special scrapers are removed and reinstalled quickly and easily. Cleaning does not take up much time.



**Outstanding accessibility**  
The belts can be released on both sides with a simple hand movement and then cleaned effortlessly.

Technical data	
Compas 3000 HD	SFA6127H.A1
Version	Stainless steel
Model	Rigid construction with table supports
Automatic reeler	With
Variable reeling speed	With
Automatic flour duster	With
Automatic dough width monitoring system	With
Width of conveyor belts	640 mm
Table length overall	3500 mm
Roller length	660 mm
Safety guard opening	90 mm
Roller gap	0.2 – 45 mm
Roller gap reduction	By motor: <ul style="list-style-type: none"><li>• 100 programs</li><li>• Manual</li></ul>
Speed of discharge conveyor	50 – 90 cm/s
Variable sheeting speed	With
Rated power	2.0 kVA / 1.2 kW
Supply voltage	3 × 200 – 480 V, 50/60 Hz
Required floor space (in mm)	<ul style="list-style-type: none"><li>• in working position, catch pans extended 1260 × 3820</li><li>• in resting position 1260 × 3500</li></ul>
Weight	420 kg
The right to make changes of a technical nature is reserved. The technical safety and type-specific instructions in the operating manual must be complied with. Prohibition, information and warning signs on the machines are to be complied with in accordance with the operating instructions.	



# How is perfection achieved in the end? By paying attention to quality at the start.

Your dough bands will only be regular if your blocks of dough and fat plates have a regular square shape. With regular dough bands, you reduce waste and thus lower costs substantially. Using the Rondopress, you effortlessly and easily shape dough and fat blocks into regular squares. The high pressing force of the Rondopress also makes the fat very pliable, resulting in particularly consistent layers of fat.

### Simple cleaning

- The Rondopress is easy and quick to clean:
- Housing and cover made of stainless steel
  - Easy-to-clean pressing plate

You use the Rondopress to shape consistent blocks of dough and fat plates easily and without exertion:

1. You place pre-weighed dough or a plate of fat into the stainless steel pressing chamber.
2. Close the cover – the pressing operation starts.
3. The cover opens automatically after the set pressing time and the regular square block of dough or the pliable fat plate is ready for further processing.

### Technical data

Rondopress	SHTP.A / SHTP.C
Outer dimensions	650 × 640 × 1200 mm
Pressing chamber	512 × 409 × 135 mm
Supply voltage	200 – 420 V, 50 Hz 220 V, 60 Hz (UL)
Rated power	3.0 kVA
Weight	330 kg

The right to make changes of a technical nature is reserved. The technical safety and type-specific instructions in the operating manual must be complied with. Prohibition, information and warning signs on the machines are to be complied with in accordance with the operating instructions.

# You wish to have more possibilities? Ask your RONDO specialist consultant.

Rondostar and Compas HD are the two top models among dough sheeters. The RONDO range of products includes many other solutions for your needs. Your RONDO specialist consultant will be glad to demonstrate our solutions.

### Mechanical dough sheeters

From the compact Econom table model to the robust and highly productive Automat, you will find the suitable mechanical dough sheeter for every requirement.



Econom



Rondomat



Manomat/Automat

### Electronic dough sheeters

The electronic entry-level model Rondostar ECO supplements the RONDO range of products.



Rondostar ECO

### Cutomat models

Combine sheeting and cutting. Cutomats are fully-fledged dough sheeters with an integrated cutting station – optimising your use of space in the bakery. You have a choice of three mechanical models as well as the electronic Rondostar-Cutomat, which combines all the advantages of the Rondostar with the benefits of an integrated cutting station.



Rondomat-Cutomat



Manomat/Automat-Cutomat



Rondostar-Cutomat