



Waldorf Bold

- 6 The Environment
- 9 Induction options
- 10 450mm Induction Cooktops
- 12 900mm Induction Cooktops
- 14 900 Induction Range Convection Oven
- 20 450mm Induction Wok







INDUCTION. THE POWER OF TOMORROW.



THE COOKING WORLD IS LOOKING TO INDUCTION **TECHNOLOGY** AS THE **FUTURE** FOR SAFER, GREENER FOOD SERVICE OPERATIONS.



THE **ENVIRONMENT**

If it's not sustainable, why do it?

At Moffat, we aim to inspire chefs, bakers, and cooks to create a more sustainable world by equipping them with the best tools powered by renewable energy.

As innovators of world class cooking technology, we've taken up the challenge to reduce the environmental consequences of what we do. It's an evolving process of reducing our carbon footprint that's as much about elevating the performance and longevity of these products as it is about how they are made, packaged, delivered.

We are lucky that the heart of our operation is powered by renewable energy. The majority of electricity supplied to Moffat's New Zealand manufacturing facility in Christchurch is generated from hydroelectric power stations on South Island dams. These hydro dams are replenished by rainfall to provide a natural energy source with significantly lower greenhouse gas emissions than any fossil fuelled power alternative.

Our efforts to lift environmental performance are ongoing as we develop new processes and technology. At the same time, we encourage food service professionals to reduce their own carbon footprints by making the transition to more sustainable electric platforms.





Built to last.

Waldorf units are finished in heavy gauge 304 grade stainless steel. Fully framed doors incorporate a new heavy-duty hinge system and our ranges are all built on a galvanised steel chassis. The superb finishing that has become a hallmark of Waldorf products includes fully welded seams and bullnoses, and polished stainless-steel surfaces.

Hygiene made easier.

Rounded corners and edges (internal and external) and streamlined top surfaces make for effortless cleaning and wiping down of an entire Waldorf cooking line.

Service on the fly.

Waldorf design allows each unit to be serviced and maintained in situ, minimising the need to remove it or shut down an entire cooking line.

Make a Bold choice.

The Waldorf Bold Range is for chefs wanting to make a statement by adding some colour to their world. It's available in three vitreous enamel colours: black, burgundy, and chilli red. Vitreous enamel is highly resistant to wear and tear and will retain its colour for the life of the unit. Waldorf cabinet base doors are also available in Bold colours.

MORE INDUCTION OPTIONS.

Induction Cooktops 450mm and 900mm

The expanded line-up of Waldorf induction cooktops was conceived to meet a growing demand for more options in how this powerful technology is applied.


Construction delivers typical Waldorf styling and functionality that includes a heavy-duty 6mm ceramic glass glide top and powerful new 5.0kW variable heat zones that deliver more power and precision than ever before. Auto pan detection saves energy and makes for a cooler working environment by turning off the heat when pans are removed.

Various configurations of cooktop are available in 450mm and 900mm widths with round and full area induction zones. Cooktops can be supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.

Induction Cooktop Standard Features

- Heavy-duty construction
- Automatic pan detection switches the induction zone off when a pan is removed
- 3 models of base unit
- · Stainless steel exterior
- Fully modular
- Easy clean, installation and service







| PRODUCT | MODEL OPTIONS / DIMENSIONS | HOB VARIATIONS | MODEL CODES |
|------------------------------|--|----------------|--|
| 450MM | BENCH MODEL | | IN8100F-B |
| INDUCTION COOKTOP | CABINET BASE MODEL | | IN8100F-CB |
| 5kW Full Area Induction Zone | CABINET BASE WITH DOOR | | IN8100F-CD |
| | LEG STAND MODEL | | IN8100F-LS |
| | Bench model W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm | | |
| | All other models W 450mm, D 805mm, H 915mm | | Series Options IN - Standard splashback models |
| | Incl. splashback 1130mm Incl. low back 970mm | | INL - Low back models INB - Bold vitreous enamel colour front finish on standard splashback models |

INLB - Bold vitreous enamel

back models

colour front finish on low

PRODUCT MODEL OPTIONS / DIMENSIONS **HOB VARIATIONS**

450MM

INDUCTION COOKTOP

3.5kW and 5kW Round Induction Zone



Bench model

BENCH MODEL

CABINET BASE MODEL

LEG STAND MODEL

CABINET BASE WITH DOOR

W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm



IN8100R5-B IN8100R5-CB

> IN8100R5-CD IN8100R5-LS

MODEL CODES

IN8100R3-B

IN8100R3-CB

IN8100R3-CD

IN8100R3-LS



All other models

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm

450MM

INDUCTION COOKTOP

2 x 5kW Full Area Induction Zones



IN8200F-CB IN8200F-CD IN8200F-LS

IN8200F-B



Bench model

BENCH MODEL

CABINET BASE MODEL

LEG STAND MODEL

CABINET BASE WITH DOOR

W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm



W 450mm, D 805mm, H 915mm Incl. splashback 1130mm



Incl. low back 970mm

450MM

INDUCTION COOKTOP

 2×3.5 kW and 2×5 kW Round Induction Zones



CABINET BASE MODEL CABINET BASE WITH DOOR LEG STAND MODEL



W 450mm, D 805mm, H 355mm



Bench model

BENCH MODEL

Incl. splashback 570mm Incl. low back 410mm



All other models

W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm



IN8200R3-B

IN8200R3-CB

IN8200R3-CD

IN8200R3-LS

IN8200R5-B

IN8200R5-CB

IN8200R5-CD

IN8200R5-LS





PRODUCT

MODEL OPTIONS / DIMENSIONS

HOB VARIATIONS

MODEL CODES

900MM

INDUCTION COOKTOP

4 x 5kW Full Area Induction Zones

BENCH MODEL CABINET BASE MODEL CABINET BASE WITH DOORS LEG STAND MODEL

Bench models

W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm






IN8400F-B IN8400F-CB IN8400F-CD IN8400F-LS



900MM

INDUCTION COOKTOP

 4×3.5 kW and 4×5 kW Round Induction Zones



Bench models

BENCH MODEL

W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm







IN8400R3-B IN8400R3-CB IN8400R3-CD IN8400R3-LS

IN8400R5-B IN8400R5-CB IN8400R5-CD IN8400R5-LS



900MM

INDUCTION COOKTOP

2 x 3.5kW or 4 x 5kW Round Induction Zones 2 x 5.0kW Full Area Induction Zones



BENCH MODEL CABINET BASE MODEL CABINET BASE WITH DOORS LEG STAND MODEL

Bench models

W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm

All other models

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm







IN8400R3F-B IN8400R3F-CB IN8400R3F-CD IN8400R3F-LS

IN8400R5F-B IN8400R5F-CB IN8400R5F-CD IN8400R5F-LS

MEET OUR NEW HEAD OF THE FAMILY.

Induction Range Convection Oven 900mm

For the first time, Waldorf has introduced the 900mm Induction Range with Convection Oven – a veritable powerhouse that food service professionals have long been waiting for.

The new 800 Series Induction Range combines the space saving design of Waldorf induction technology with the refined looks and time-tested dependability of our convection oven line-up.

Up top, you have a choice of various combinations of four full area or round cooking zones in 3.5kW or 5kW.

The electronic components of the induction cooktop are housed within the unit itself which means there's no compromise on space down below where a full size 6.1kW 2/1 GN convection oven completes the package.

Induction Range Standard Features

- Heavy-duty construction
- Four Induction zones
- Automatic pan detection switches the induction zone off when a pan is removed
- GN 2/1 6.1kW electric convection oven
- Dual oven circulation fans
- Drop down door
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service





Disclaimer: The white circles and pastel yellow square colours in the rendered Image are not a product feature. They form part of this rendered image to demonstrate the dimension of the induction cooking zones and the proximity of each in the total cooking space.



900MM

INDUCTION RANGE **CONVECTION OVEN**

GN 2/1 Electric Convection oven with 4 x 5.0kW Full Area Induction

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm



IN8410ECF



900MM

INDUCTION RANGE **CONVECTION OVEN**

GN 2/1 Electric Convection oven with 4 x 3.5kW Round Induction,

4 x 5.0kW Round Induction, 2 \times 5.0kW Round and 2 \times 5.0kW

Full Area Induction

W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm







IN8410ECR3 IN8410ECR5

IN8410ECR5F





Series Options

Standard splashback RN models

RNL - Low back models

RNB - Bold vitreous enamel colour front finish on standard splashback models

RNLB - Bold vitreous enamel colour front finish on low back models



A FUSION OF TRADITIONS

Induction Wok 450mm

Designed for smaller scale food service applications, the Induction Wok brings an Asian influence to western style cooking without the extra cost of an extraction system.

Available in 3.5kW and 5.0kW with a choice of bench mount, cabinet base, or leg stand.

Induction Wok Standard Features

- Heavy-duty construction
- 300mm round induction wok 3.5kW or 5kW models
- Automatic pan detection switches the induction zone off when wok pan removed
- 3 models of base unit
- Stainless steel exterior
- Fully modular
- Easy clean, installation and service



| PRODUCT | MODEL OPTIONS | DIMENSIONS | MODEL CODES |
|----------------------|---|--|--------------|
| 450MM | BENCH MODEL | Bench model | IN8100W3-B |
| INDUCTION WOK | CABINET BASE MODEL CABINET BASE WITH DOOR LEG STAND MODEL All other models W 450mm, D 805mm, H 415mm Incl. low back 470mm All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm | IN8100W3-CB | |
| 3.5kW and 5kW models | | | IN8100W3-CD |
| | | | IN8100W3-LS |
| | | W 450mm, D 805mm, H 915mm Incl. splashback 1130mm | IN8100W5-B |
| | | | IN8100W5-CB |
| | | | IN8100W5-CD |
| | | | INIO1OOME LC |

IN8100W5-LS



Series Options

- IN Standard splashback models
- INL Low back models
- INB Bold vitreous enamel colour front finish on standard splashback models
- INLB Bold vitreous enamel colour front finish on low back models



Check in for the Waldorf Induction Experience.

Our dealer showrooms are well resourced to give you a full run-down on the Waldorf 800 Induction Series. To book in for a demonstration or an introductory session at a Moffat test kitchen near you, please go to one of our websites:

Moffat Australia - moffat.com.au/book-demo Moffat New Zealand - moffat.co.nz/book-demo

Service Wherever you Are.

The Moffat Technical Service Department provides 24/7 support and our network of authorised providers is strategically located for servicing outlying areas. Contact us directly on one of our toll-free numbers.

Moffat Australia - 1300 264 217 Moffat New Zealand - 0800 663 328



We've got your Back.

Our 2 year warranty is backed by unrivalled service and technical support, delivering peace of mind from the moment you start.











Australia moffat.com.au Moffat Pty Limited Victoria/Tasmania

Victoria/Tasmania
740 Springvale Road
Mulgrave, Victoria 3170
Telephone +61 3-9518 3888
Facsimile +61 3-9518 3883
vsales@moffat.com.au
New South Wales
Telephone +61 2-8833 4111
nswsales@moffat.com.au
South Australia
Telephone +61 3-9518 3888
vsales@moffat.com.au
Queensland / Northern Territory
Telephone +61 7-3630 8600
qldsales@moffat.com.au
Western Australia
Telephone +61 8-9413 2400
wasales@moffat.com.au

New Zealand moffat.co.nz Moffat Limited

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 sales@moffat.co.nz Auckland Telephone +64 9-574 3150 sales@moffat.co.nz

International moffat.com Moffat Limited

Rolleston 45 Illinois Drive Izone Business Hub Rolleston 7675 Telephone +64 3-983 6600 Facsimile +64 3-983 6660 international@moffat.co.nz

ISO9001

All Waldorf products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd AN.W8S.B.01/24













Australia



New Zealand



Internationa

an A**l**i Group Company

