




ELECTRIC

WALDORF INDUCTION.

 **BLUE SEAL**[®]

Waldorf **Bold**

- 6 The Environment
- 9 Induction options
- 10 450mm Induction Cooktops
- 12 900mm Induction Cooktops
- 14 900 Induction Range Convection Oven
- 20 450mm Induction Wok



INDUCTION. THE POWER OF TOMORROW.



THE COOKING
WORLD IS
LOOKING TO
**INDUCTION
TECHNOLOGY**
AS THE
FUTURE
FOR SAFER,
GREENER
FOOD SERVICE
OPERATIONS.



THE ENVIRONMENT



If it's not sustainable, why do it?

At Blue Seal, we aim to inspire chefs, bakers, and cooks to create a more sustainable world by equipping them with the best tools powered by renewable energy.

As innovators of world class cooking technology, we've taken up the challenge to reduce the environmental consequences of what we do. It's an evolving process of reducing our carbon footprint that's as much about elevating the performance and longevity of these products as it is about how they are made, packaged, delivered.

We are lucky that the heart of our operation is powered by renewable energy. The majority of electricity supplied to Moffat's New Zealand manufacturing facility in Christchurch is generated from hydroelectric power stations on South Island dams. These hydro dams are replenished by rainfall to provide a natural energy source with significantly lower greenhouse gas emissions than any fossil fuelled power alternative.

Our efforts to lift environmental performance are ongoing as we develop new processes and technology. At the same time, we encourage food service professionals to reduce their own carbon footprints by making the transition to more sustainable electric platforms.



Built to last.

Waldorf units are finished in heavy gauge 304 grade stainless steel. Fully framed doors incorporate a new heavy-duty hinge system and our ranges are all built on a galvanised steel chassis. The superb finishing that has become a hallmark of Waldorf products includes fully welded seams and bullnoses, and polished stainless-steel surfaces.

Hygiene made easier.

Rounded corners and edges (internal and external) and streamlined top surfaces make for effortless cleaning and wiping down of an entire Waldorf cooking line.

Service on the fly.

Waldorf design allows each unit to be serviced and maintained in situ, minimising the need to remove it or shut down an entire cooking line.

Make a Bold choice.

The Waldorf Bold Range is for chefs wanting to make a statement by adding some colour to their world. It's available in three vitreous enamel colours: black, burgundy, and chilli red. Vitreous enamel is highly resistant to wear and tear and will retain its colour for the life of the unit. Waldorf cabinet base doors are also available in Bold colours.

MORE INDUCTION OPTIONS.

Induction Cooktops 450mm and 900mm

The expanded line-up of Waldorf induction cooktops was conceived to meet a growing demand for more options in how this powerful technology is applied.


Construction delivers typical Waldorf styling and functionality that includes a heavy-duty 6mm ceramic glass glide top and powerful new 5.0kW variable heat zones that deliver more power and precision than ever before. Auto pan detection saves energy and makes for a cooler working environment by turning off the heat when pans are removed.

Various configurations of cooktop are available in 450mm and 900mm widths with round and full area induction zones. Cooktops can be supplied with suite matching modular cabinet bases with doors and adjustable feet as standard.


Induction Cooktop Standard Features

- Heavy-duty construction
- Automatic pan detection switches the induction zone off when a pan is removed
- 3 models of base unit
- Stainless steel exterior
- Black vitreous enamel finish to front panels
- Fully modular
- Easy clean, installation and service

TWO 270MM
 SQUARE FULL AREA
 INDUCTION ZONE
 5KW HEATING /
 TWO 270MM .DIA
 ROUND INDUCTION
 ZONES
 3.5KW HEATING OR
 5KW HEATING



TWO 270MM
 SQUARE FULL AREA
 INDUCTION ZONE
 5KW HEATING



FOUR 270MM .DIA
 ROUND INDUCTION
 ZONES
 3.5KW HEATING OR
 5KW HEATING OR



FOUR 270MM
 SQUARE FULL AREA
 INDUCTION ZONE
 5KW HEATING



TWO 270MM .DIA
 ROUND INDUCTION
 ZONES
 5KW HEATING OR
 3.5KW HEATING



ONE 270MM
 SQUARE FULL AREA
 INDUCTION ZONE
 5KW HEATING

ONE 270MM .DIA
 ROUND INDUCTION
 ZONE
 5KW HEATING OR
 3.5KW HEATING



PRODUCT	MODEL OPTIONS / DIMENSIONS	HOB VARIATIONS	MODEL CODES
<p>450MM INDUCTION COOKTOP 5kW Full Area Induction Zone</p>	<p>BENCH MODEL CABINET BASE WITH DOOR LEG STAND MODEL</p>		<p>INLB8100F-B INLB8100F-CD INLB8100F-LS</p>
	<p>Bench model W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm</p> <p>All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm</p>	<p>Series Options</p>	<p>INB - Bold vitreous enamel colour front finish on standard splashback models</p> <p>INLB - Bold vitreous enamel colour front finish on low back models</p>

PRODUCT	MODEL OPTIONS / DIMENSIONS	HOB VARIATIONS	MODEL CODES	
450MM INDUCTION COOKTOP 3.5kW and 5kW Round Induction Zone	BENCH MODEL CABINET BASE WITH DOOR LEG STAND MODEL		INLB8100R3-B INLB8100R3-CD INLB8100R3-LS	
	Bench model W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm		INLB8100R5-B INLB8100R5-CD INLB8100R5-LS	
	All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm			
				
	450MM INDUCTION COOKTOP 2 x 5kW Full Area Induction Zones	BENCH MODEL CABINET BASE WITH DOOR LEG STAND MODEL		INLB8200F-B INLB8200F-CD INLB8200F-LS
	Bench model W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm			
All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm				
				
	450MM INDUCTION COOKTOP 2 x 3.5kW and 2 x 5kW Round Induction Zones	BENCH MODEL CABINET BASE WITH DOOR LEG STAND MODEL		INLB8200R3-B INLB8200R3-CD INLB8200R3-LS
	Bench model W 450mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm			INLB8200R5-B INLB8200R5-CD INLB8200R5-LS
All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm			Series Options INB - Bold vitreous enamel colour front finish on standard splashback models INLB - Bold vitreous enamel colour front finish on low back models	
				



Heirloom carrots with orange and miso.

PRODUCT	MODEL OPTIONS / DIMENSIONS	HOB VARIATIONS	MODEL CODES
900MM INDUCTION COOKTOP 4 x 5kW Full Area Induction Zones	BENCH MODEL CABINET BASE WITH DOORS LEG STAND MODEL Bench models W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm		INLB8400F-B INLB8400F-CD INLB8400F-LS
900MM INDUCTION COOKTOP 4 x 3.5kW and 4 x 5kW Round Induction Zones	BENCH MODEL CABINET BASE WITH DOORS LEG STAND MODEL Bench models W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm	 	INLB8400R3-B INLB8400R3-CD INLB8400R3-LS INLB8400R5-B INLB8400R5-CD INLB8400R5-LS
900MM INDUCTION COOKTOP 2 x 3.5kW or 2 x 5kW Round Induction Zones 2 x 5.0kW Full Area Induction Zones	BENCH MODEL CABINET BASE WITH DOORS LEG STAND MODEL Bench models W 900mm, D 805mm, H 355mm Incl. splashback 570mm Incl. low back 410mm All other models W 900mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm	 	INLB8400R3F-B INLB8400R3F-CD INLB8400R3F-LS INLB8400R5F-B INLB8400R5F-CD INLB8400R5F-LS Series Options INB - Bold vitreous enamel colour front finish on standard splashback models INLB - Bold vitreous enamel colour front finish on low back models

MEET OUR NEW HEAD OF THE FAMILY.

Induction Range Convection Oven 900mm

For the first time, Waldorf has introduced the 900mm Induction Range with Convection Oven – a veritable powerhouse that food service professionals have long been waiting for.

The new Bold Induction Range combines the space saving design of Waldorf induction technology with the refined looks and time-tested dependability of our convection oven line-up.

Up top, you have a choice of various combinations of four full area or round cooking zones in 3.5kW or 5kW.

The electronic components of the induction cooktop are housed within the unit itself which means there's no compromise on space down below where a full size 6.1kW 2/1 GN convection oven completes the package.

Induction Range Standard Features

- Heavy-duty construction
- Four Induction zones
- Automatic pan detection switches the induction zone off when a pan is removed
- GN 2/1 6.1kW electric convection oven
- Dual oven circulation fans
- Drop down door
- Stainless steel exterior
- Black vitreous enamel finish to front panels
- Fully modular
- Easy clean, installation and service

TWO 270MM .DIA
ROUND INDUCTION
ZONES
5KW HEATING /
TWO 270MM
SQUARE FULL AREA
INDUCTION ZONES
5KW HEATING



GN 2/1 6.1KW
ELECTRIC
CONVECTION OVEN

Disclaimer : The white circles and pastel yellow square colours in the rendered image are not a product feature. They form part of this rendered image to demonstrate the dimension of the induction cooking zones and the proximity of each in the total cooking space.

MODELS ALSO
AVAILABLE:

FOUR 270MM FULL
INDUCTION ZONES
5KW HEATING /
FOUR 270MM .DIA
ROUND INDUCTION
ZONES
5KW HEATING /
FOUR 270MM .DIA
ROUND INDUCTION
ZONES
3.5KW HEATING




*Duck leg confit
with pumpkin puree.*

PRODUCT	MODEL OPTIONS / DIMENSIONS	HOB VARIATIONS	MODEL CODES
---------	----------------------------	----------------	-------------

900MM
INDUCTION RANGE
CONVECTION OVEN
 GN 2/1 Electric Convection oven with 4 x 5.0kW Full Area Induction

W 900mm, D 805mm, H 915mm
 Incl. splashback 1130mm
 Incl. low back 970mm




INLB8410ECF



900MM
INDUCTION RANGE
CONVECTION OVEN
 GN 2/1 Electric Convection oven with
 4 x 3.5kW Round Induction,
 4 x 5.0kW Round Induction,
 2 x 5.0kW Round and 2 x
 5.0kW Full Area Induction

W 900mm, D 805mm, H 915mm
 Incl. splashback 1130mm
 Incl. low back 970mm




INLB8410ECR3
 INLB8410ECR5

INLB8410ECR5F



NO COMPROMISE ON
 SPACE DOWN BELOW



Series Options

- INB** - Bold vitreous enamel colour front finish on standard splashback models
- INLB** - Bold vitreous enamel colour front finish on low back models

A FUSION OF TRADITIONS

Induction Wok 450mm

Designed for smaller scale food service applications, the Induction Wok brings an Asian influence to western style cooking without the extra cost of an extraction system.

Available in 3.5kW and 5.0kW with a choice of bench mount, cabinet base, or leg stand.

Induction Wok Standard Features

- Heavy-duty construction
- 300mm round induction wok 3.5kW or 5kW models
- Automatic pan detection switches the induction zone off when wok pan removed
- 3 models of base unit
- Stainless steel exterior
- Black vitreous enamel finish to front panels
- Fully modular
- Easy clean, installation and service



PRODUCT	MODEL OPTIONS	DIMENSIONS	MODEL CODES
450MM INDUCTION WOK 3.5kW and 5kW models	BENCH MODEL	Bench model W 450mm, D 805mm, H 415mm Incl. splashback 630mm Incl. low back 470mm	INLB8100W3-B
	CABINET BASE WITH DOOR		INLB8100W3-CD
	LEG STAND MODEL	All other models W 450mm, D 805mm, H 915mm Incl. splashback 1130mm Incl. low back 970mm	INLB8100W3-LS
			INLB8100W5-B
			INLB8100W5-CD
			INLB8100W5-LS



Series Options

INB - Bold vitreous enamel colour front finish on standard splashback models

INLB - Bold vitreous enamel colour front finish on low back models



Honey, soy glazed chicken.

Check in for the Waldorf Induction Experience.

Our dealer showrooms are well resourced to give you a full run-down on the Waldorf Bold Series. To see it in action, book in for a demonstration at our Test Kitchen. Our skilled chefs and knowledgeable sales team will help you in selecting the right appliances for your kitchen.

Introductory sessions can be booked online.

www.blue-seal.co.uk







www.blue-seal.co.uk

United Kingdom
Blue Seal Limited
Unit 67
Gravelly Business Park
Gravelly
Birmingham B24 8TQ
England
Telephone 0121-327 5575
Facsimile 0121-327 9711
sales@blue-seal.co.uk
www.blue-seal.co.uk
www.bluesealequipment.com

Australia
Moffat Pty Limited
740 Springvale Road
Mulgrave, Victoria 3170
Australia
Telephone +61 3-9518 3888
Facsimile +61 3-9518 3833
vsales@moffat.com.au
www.moffat.com.au

New Zealand
Moffat Limited
Rolleston
45 Illinois Drive
Izone Business Hub
Rolleston 7675
Telephone +64 3-983 6600
Facsimile +64 3-983 6660
sales@moffat.co.nz
moffat.co.nz

ISO9001

All Blue Seal Evolution products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd
UK.WB-I.B.01/24



an Ali Group Company



The Spirit of Excellence